variant

variant

variant

variant

2g

SIEMENS



Environmental Product Declaration

| ro | | |
|----|--|--|
| | | |
| | | |

Type of equipment / VVF42.15.. Two Port Valve, DN15 Product No. VVF42.20.. Two Port Valve, DN20 VVF42.25.. Two Port Valve, DN25 VVF42.32.. Two Port Valve, DN32 VVF42.40.. Two Port Valve, DN40 VVF42.50.. Two Port Valve, DN50 VVF42.65.. Two Port Valve, DN65 VVF42.80.. Two Port Valve, DN80 VVF42.100.. Two Port Valve, DN100 VVF42.125.. Two Port Valve, DN125 VVF42.150.. Two Port Valve, DN150

Product line New Generation Acvatix - Valves

Process control

Siemens Switzerland Ltd

Building Technologies Division

Gubelstrasse 22 CH-6301 Zug

CuZn39Pb3

steel CrNi

ΑI

CuZn

Cu

 Management System
 since
 by

 ISO 14001 (Environment)
 20.10.1998
 SQS

 ISO 9001 (Quality)
 22.07.1986
 SQS

Environmentally compatible product design

Product responsibility of Siemens covers the entire product life cycle. Siemens already assesses, avoids and minimizes the environmental impact of its products with respect to production, procurement, sales, use, services and disposal during the product and process planning phases by complying with Siemens EP Standard No. 1 (former SN 36350) "Specifications on Environmentally Compatible Product and System Design".

plug DN15 .. DN25

stem sealing housing

stem, nut

plate

sealing

| | Maintenance | Not necessary | Not necessary 1MJ | | | | | |
|-----------|------------------------|----------------------------------------------------------------------------------------------|---------------------------|--|--|--|--|--|
| | Fire load | 1MJ | | | | | | |
| Packaging | 22-PAP paper | Carton Box | variant | | | | | |
| | 4-LDPE | Protection cap (DN125 DN150) | variant | | | | | |
| | Wood | Wooden Pallet (DN125 DN150) | variant | | | | | |
| | Notes on disposal | One-way, recyclable | | | | | | |
| Materials | Total weight of device | | variant *) see below | | | | | |
| | - | The total weight of a device may deviate from the total of the weights of all individual cor | mponents due to rounding. | | | | | |
| Plastics | PTFE; halogenated | Wiper ring | 3g | | | | | |
| | EPDM; halogen-free | O-Ring | 1g | | | | | |
| Metals | EN GJL-250 | valve housing | variant | | | | | |
| | CuZn5Sn5Pb2 | plug DN32 DN150 | variant | | | | | |



EPD - Type II According to ISO 14021

| | Steel | | | | | blinde | flange | | | | | variant |
|------------------------------|------------------|----------|----------|----------|----------|----------------------|----------|----------|-----------|-----------|-----------|---------|
| | Steel | | | | | bolt, nu | ıt | | | | | variant |
| Others | silicon-free | e | | | | grease | | | | | | 6g |
| | Klingersil C4300 | | | | Sealing | Sealing blind flange | | | | variant | | |
| *Variant parts list | | | | | | | | | | | | |
| [g] | VVF42.15 | VVF42.20 | VVF42.25 | VVF42.32 | VVF42.40 | VVF42.50 | VVF42.65 | VVF42.80 | VVF42.100 | VVF42.125 | VVF42.150 | |
| Total weight of device | 3'636 | 4'639 | 5'299 | 8'291 | 9'194 | 12'127 | 16'966 | 24'903 | 35'902 | 52'598 | 74'935 | |
| valve housing | 2'300 | 3'000 | 3'400 | 5'300 | 5'800 | 8'000 | 11'900 | 17'900 | 26'600 | 40'100 | 57'800 | |
| plug DN32 DN150 | | | | 190 | 289 | 420 | 740 | 1'000 | 1'862 | 2'595 | 3'716 | |
| plug DN15 DN25 | 66 | 68 | 127 | | | | | | | | | |
| stem, nut | 83 | 83 | 83 | 83 | 83 | 83 | 102 | 102 | 300 | 300 | 343 | |
| stem sealing housing | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 86 | 226 | 226 | 226 | |
| sealing | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | |
| blinde flange | 800 | 1'100 | 1'300 | 2'000 | 2'300 | 2'900 | 3'500 | 4'500 | 5'600 | 8'000 | 10'400 | |
| bolt, nut | 288 | 288 | 288 | 616 | 616 | 616 | 616 | 1'288 | 1'288 | 1'344 | 2'416 | |
| Sealing blind flange | 1 | 2 | 3 | 4 | 8 | 10 | 10 | 15 | 11 | 18 | 19 | |
| Packaging | | | | | | | | | | | | |
| Carton Box [g] | 163 | 163 | 163 | 980 | 980 | 980 | 2'100 | 2'100 | 2'400 | 3'720 | 3'720 | |
| Protection cap (DN125 DN150) | | | | | | | | | | 170 | 212 | |
| Wooden Pallet (DN125 DN150 | | | | | | | | | | 7'710 | 7'710 | |

Disposal

The device should not be disposed of as unsorted municipal waste. The special treatment for specific components may be mandated by law or ecologically sensible.

Observe all local and applicable laws.

Comments

EU-directive 2011/65/EU (RoHS)

The device does not contain substances in concentrations and applications banned under the EU RoHS Directive.

Regulation (EC) No. 1907/2006 (REACH)

To the best of our knowledge and according to the information of our suppliers the above mentioned device and its packaging contain no substances of the candidate list according to Article 59 (1, 10) of the regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) in concentrations above 0.1 % w/w.

(Status according to the creation date of this document.)

The device is halogen-free with exception of:

wiper ring; O-ring; grease; sealing

Legal Disclaimer: This declaration is for information purpose only.

This Environmental Product Declaration does not constitute a guarantee of the composition of a product, neither does it guarantee that the product will retain a particular composition for a particular period.

Siemens Switzerland Ltd therefore does not assume liability for any error or for any consequences which may arise from the use of this information to the maximum extent under the law.

Please contact your local Siemens branch office to get further information on environmental aspects and disposal.

CE1E4403en01 21.10.2015