




Environmental product declaration

Product	Device type	MXF461.15-..., MXF461.15-..P MXF461.20-5.0, MXF461.20-5.0P MXF461.25-8.0, MXF461.25-8.0P
	Designation	Precision valve with magnetic actuator for standard applications to 120°C
	Product range	Valves and actuators
Process control	Siemens Building Technologies AG, HVAC Products Laubisrütistrasse 50, CH-8712 Stäfa	
	Management system certified	since by
	ISO 14001 (environment)	13 Dec. 1996 BVQI
	ISO 9001 (quality)	7. Feb. 1991 BVQI
Product use	Typical energy consumption per year	35 kW at 100% ON time
	Maintenance	no maintenance
	Environmental benefits	see notes on page 2
Environmental risk (fire)	Fire protection as per	EN 60730
	Fire load	approx. 10 MJ
	Parts containing halogens (result in corrosive smoke)	circuit board with components cover, base, hand wheel, insert
Packaging	Paperboard, cardboard boxes, paper	(*) folding box with insert 389 g
	Transportation protection	(*) styrofoam 76 g
	Notes on disposal	can be recycled

Materials		total weight of device	(*) 5598 g
Plastics	PC; GF10, FR(16) containing halogens	cover, base, hand wheel, insert	173 g
	PBT; GF30, FR(62) halogen-free	coil cover, coil D38	142 g
	Rubber	O-ring seal	2 g
Metals	Brass, bronze	stem, bushing, seat, plate	(*) 93 g
	Steel, zinc-plated, nickel-plated	screws, core, cover	18 g
	Copper wire	coil winding	540 g
	Cr/Ni steel	bolt, disc, stem	(*) 36 g
	Steel	U-bracket, bushing	1213 g
	Free-cutting steel 95MnPb	armature, core	540 g
	Cast iron	valve body	(*) 2764 g
Miscellaneous	Oil, grease	silicone oil, silicon grease	8 g
Circuit board	FR 4; containing halogens	circuit board with components	69 g
Special Components	FR4, containing halogens, SnPb solder	pc board without components	(21 g)
	1x Al capacitor	on the circuit board	(4 g)
	Misc. components	on the circuit board	(36 g)
	Copper wire	stroke measurement element, on the circuit board	(8 g)

Disposal



Do not dispose of the device as part of standard household garbage, but as special waste from electrical and electronic components. This particularly applies to electronic circuit boards.

Additionally, the law may mandate special treatment for specific components or special treatment may be ecologically sensible.

Observe all local and applicable laws.

Environmental benefits:

- Reduced energy consumption (domestic hot water, cold water) for HVAC and industrial applications due to high control accuracy and positioning speed.
- Long lifetime due to few moving parts in the magnetic actuator. Thus high protection of investment and significant savings in raw material resources.

(*) Information applies to **MXF461.15-..**

	total weight.	Cast iron	Brass, bronze.	Cr/Ni steel	Box.	Styrofoam
MXF461.20-5.0	6440 g	3560 g	132 g	43 g	416 g	76g
MXF461.25-8.0	7041 g	4140 g	150 g	46 g	388 g	78 g

Legal disclaimer: This declaration is for information purposes only.

The above information may be inaccurate or incomplete. Siemens Building Technologies Ltd. therefore does not assume liability for any error or any consequences which may arise from the use of this information to the maximum extent under the law.

If you require further information on environmental aspects and disposal, contact your local Siemens branch office.